SIGMOIDOSCOPY PREP INSTRUCTIONS

Your procedure is sched	uled on: Procedure Time:	Arrival Time:
Location of Procedure:	[] Central Jersey	[] RWJUH – Somerset in Somerville
	Ambulatory Surgery Center	110 Rehill Ave
	511 Courtyard Dr.	GI Center – 3 rd Flr, West Elevator
	Hillsborough, NJ 08844	Somerville, NJ 08876
	908-895-0001	908-685-2200

****** Purchase 2 fleets enemas from the drug store.

DO NOT have any solid food or dairy products after midnight. You may have clear liquids until 4 hours before your procedure. (see clear liquid list on next page)

Approximately $2\frac{1}{2}$ hours prior to your appointment _____, you will give yourself the first enema. Try to hold the liquid in for 15 minutes, if this is not possible at least 5 minutes is acceptable.

Follow the same instructions for the second enema **1 hour later** _____.

Take nothing by mouth within 4 hours of your procedure start time.

Taking anything by mouth within 4 hours of the procedure will cause a delay or cancellation. You may take critical medications with clear liquids up until 4 hours before your procedure.

- ** You MUST have someone to drive you home.
- ****** Cancellation Policy: Cancellations within 48 hours incur a \$100 charge not covered by insurance.